



Туре			Split Type
Model	Indoor unit		FSKIF-600CE3
	Outdoor unit		FSOIF-600CE3-3F
Sound power level at standard rating cond. (IDU/ODU)		[dB(A)]	62/67
Refrigerant type			R32
Global warming potential (GWP)			675
SEER			6.1
Energy effciency class in cooling			A++
Annual electricity consumption in cooling		[KWh/a]	902
Design load in cooling mode (Pdesign)		[KW]	16.1
SCOP (average season)			4.0
Energy effciency class in heating (average season)			A+
Annual electricity consumption in heating (average season)		[KWh/a]	4214
Design load in heating mode (Pdesign)		[KW]	12.5
Declared capacity at reference design condition (average season)		[KW]	12.25
Back heating capacity at reference design condition (average season)		[KW]	0.25

^{*} Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [675]. This means that if 1 kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [675] times higher than 1 kg of CO2, over aperiod of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.

*** The standard rating conditions: cooling -outdoor 35°C DB/24°C WB -indoor 27°C DB/19°C WB heating -outdoor 7°C DB/6°C WB -indoor 20°C DB/15°C WB

^{**} The annual energy consumption kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.