



## PORTABLE TYPE AIR CONDITIONER PRODUCT FICHE

Type	Portable type air conditioner			
Model		FPR-90DE-R	FPR-120DE-R	FPR-140DE-R
Sound power level at standard rating condition***	[dB(A)]	65	65	65
Refrigerant type		R410A	R410A	R410A
Global Warming Potencial (GWP) *		2088	2088	2088
EER***		2,6	2,6	2,6
Energy efficiency class in cooling		A	A	A
Hourly energy consumption in cooling**	[kWh/60min]	1	1,3	1,5
Rated capacity in cooling mode (Prated)***	[KW]	2,6	3,5	4
COP***		3,1	3,1	3,1
Energy efficiency class in heating		A++	A++	A++
Hourly energy consumption in heating**	[kWh/60min]	0,8	1,1	1,3
Rated capacity in heating mode (Prated)***	[KW]	2,6	3,5	4

\* Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [2088]. This means that if 1 kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [2088] times higher than 1 kg of CO<sub>2</sub>, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.

\*\* The hourly energy consumption kWh per hour, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

\*\*\* The standard rating conditions:

cooling 35°C DB/24°C WB

heating 20°C DB/12°C WB